


Overview

- > 70 % of cotton is grown in arid regions: China, USA, India, Pakistan, and Uzbekistan
- ➤ It is processed through a complex supply chain with access to clean water being vital to many processes
- Production, laundering, dyeing and consumer washing are the most significant water users
- Opportunities and solutions exist but often require large capital investments and/or collective action



Cost of inaction is greater than the cost of action




July – September, 1989 August 12, 2003 August 16, 2009


Cotton cultivation has had a significant role in the depletion of the Aral Sea (above).

Credit: University of Maryland Global Land Cover Facility and NASA Goddard Level 1 and Atmospheric Archive and Liz Muller & Partners Distribution System.

The cotton supply chain uses water at various stages



Global Cotton Supply Chain (it is really a web)



Water Footprint Network frames the development of a water footprint assessment in four phases

- ➤ Phase 1: Setting goals and scope
- ➤ Phase 2: Accounting
- ➤ Phase 3: Sustainability assessment
- ➤ Phase 4: Response formulation


Industry will face increasing competition for water

- ➤ Water availability will be impacted by:
 - Climate change
 - Increasing demand (agricultural and rural)
 - Shifts in water allocation and rights


Water related risks come in various forms

- ➤ Supply chain risks
- > Regulatory risks
- > Reputational risks

Focus should be given to the production and processing segments of the supply chain



Cotton Production: consumptive and nonconsumptive uses exist in the cotton life cycle



Source: Biofuels and Water:impact assessment across regions and along the supply chain (Fingerman, 2010)

Water demands will be greater for irrigated production

- ➤ Rain-fed cotton: cotton that is grown without supplemental irrigation. Approximately 45% of cotton is rain-fed or partially irrigated (Chaudhry n.d.)
- ➤ Irrigated cotton: cotton that is irrigated from canals, groundwater, or other bodies of water. This comprises approximately 55% of the world's cotton area (Chaudhry n.d.)

Water use during production varies considerably

	Volume of Water Used (1997-2001)	
Country	Water withdrawl (L/kg of cotton seed)	Rain water (L/kg of cotton seed)
China	760	1258
USA	576	1673
India	2150	6512
Pakistan	3860	1054
Uzbekistan	4377	83

Good agricultural practices are cost effective ways to save water

- Maximize storage, distribution and application efficiency
- ➤ Deepen farm dams to reduce evaporation (losses can range from 15-45%)
- Monitor water use and calculate efficiencies
- Achieve uniform application
- No till farming to help retain soil moisture
- Use new, more efficient methods of irrigating (e.g. overhead irrigators, bank-less channels)
- Grow appropriate cotton varieties that require less water

Efficient irrigation will be needed

	Drip Irrigation	Furrow-Irrigation
Irrigation Water Applied (inches of water/acre)	20-25	60
WUE (.lbs of lint produced	70-80	20-25

Subsurface drip can increase efficiency by an additional 10 percent

Building resiliency in cotton production

- Advance research efforts directed toward developing countries, raising efficiencies, productivity, and yields
- > Support efforts to promote better agricultural practices
- Use more appropriate varieties of seeds (e.g. drought tolerant)
- Finance and/or install irrigation in water-stressed cotton producing regions
- > Provide more affordable crop insurance

Water-intensive processes include dyeing, bleaching, mercerizing, and scouring



- Only 10% of facilities are reusing their water for purposes such as irrigation and toilets
- Recycling water for apparel processing must meet stringent quality parameters and is cost prohibitive
- Wastewater is often treated at the facility level then discharged into the municipal treatment facility

Industry-level action should be supported

NRDC Clean by Design findings:

- Considerable opportunities exist for low-cost improvements in time, materials, water and energy
- ➤ Increases in production efficiency equal increased profits due to reductions in energy usage, time and materials

BSR Sustainable Water Group study:

- Current government regulations and enforcement offer little incentive to improve water management; thus, factories managers have little to no rationale for improvement
- Most factories believe that regulatory compliance meets the brands' management requirements

Wastewater treatment is a costly investment

- ➤ Wastewater 600 liter/kg of textiles
- ➤ Wastewater treatment averages \$0.30 \$1.50/kg of textile
- >\$1,226,993 \$61,234,965/factory

Source: (Bluesign Technologies, 2007)

Industry solutions are charting the course forward

- > Better Cotton Initiative agriculture production
- ➤ NRDC Clean by Design water efficiency in processing and pollution prevention
- ➤ BSR's Sustainable Water Group water effluent /pollution prevention in processing

Questions



liz muller & partners

T: +1.415.924.2335 *Email:* <u>liz@lizmuller.com</u>

www.lizmuller.com